

**Measuring Real Property Appraisal Performance
in Washington's Property Tax System
2000**

Office of Program Research
August 17, 2001

Measuring Real Property Appraisal Performance in Washington's Property Tax System 2000

Rick Peterson
Office of Program Research
August 17, 2001

This study is an evaluation of assessment practices in the Washington property tax system. The House Finance Committee 2001 interim work plan includes a project on monitoring and evaluating the Property Tax System. This evaluation is a part of that project. This report is based on 2000 assessment year data and only covers real property. The 1998, 1999, and 2000 House Finance Committee's interim activity produced three similar reports covering the 1997, 1998, and 1999 assessment years.

Property Tax Assessment Performance

Assessment systems are generally judged on the basis of the level of assessment and the uniformity of assessment.

Level of assessment refers to how close assessed values are to the legally required assessment standard. Washington statutes specify the assessment standard for the property tax system. Except for farm, forest, and other open space lands, the standard of assessment is 100 percent of market value.

Uniformity of assessment refers to how close the assessments are in relation to each other. Uniformity is important because property taxes are distributed in proportion to assessed value. If there is a low degree of uniformity, then some properties are paying a higher share of the taxes while properties with similar market values are paying a lower share.

Ratio Study Method

This report uses the ratio study method to determine level of assessments and uniformity of assessments. The ratio study is the most common evaluation method used for mass appraisal performance. A ratio study compares the assessed value established by the assessment authority with the market value of the property. It is called a ratio study because the assessed value is divided by the market value and the resulting ratio is used for evaluation. Market value is generally established by observing the price for which a property sells in the open market.

When the assessed value is greater than the market value, the ratio is greater than one. When the assessed value is less than the market value, the ratio is less than one. Properties with ratios greater than one are overassessed and properties with ratios less than one are underassessed. In practice, average or median assessment ratios are typically less than one. For example, the median assessment ratio for the state is 0.92. This means that half the properties have a ratio of assessed value to market value greater than 0.92 and half the properties have a ratio of assessed value to market value less than 0.92.

Why is the Ratio Important?

To illustrate the importance of the ratio, consider an example of two properties with a market value of \$100,000. Assume one property is assessed at 90 percent of market value (\$90,000) and the other at 110 percent of market value (\$110,000). At the state average tax rate of \$13.39, the first property has a tax bill of \$1,205 and the second property has a tax bill of \$1,473, a 20 percent difference.

Standards of Review

Other than requiring assessment at 100 percent of market value, Washington has not established appraisal performance standards in state law or by administrative rule. However, the International Association of Assessing Officers (IAAO) publishes a standard on ratio studies. The IAAO Standard on Ratio Studies¹ suggests performance standards for the level of assessments and the uniformity of assessments. The IAAO standards are advisory and compliance is voluntary. This report uses IAAO standards as benchmarks to evaluate Washington's performance.

Summary of Findings

Level of Assessment

The IAAO Standard suggests that level of assessment be evaluated by using the median assessment ratio for each jurisdiction being reviewed. The IAAO Standard states that the

¹Standard on Ratio Studies, International Association of Assessing Officers, July 1999

median ratio should be between 0.90 and 1.10.

When evaluating residential and nonresidential property together, 33 counties are within IAAO standard for overall county assessment level. Five counties are not within IAAO standards. Data was not available for Benton County.

Separate data is available for residential and nonresidential property for 36 counties. For residential property, 31 counties are within IAAO standards for assessment level and 5 are not. For nonresidential property, 30 counties are within IAAO standards for assessment level and 6 are not.

Uniformity of Assessments

The IAAO Standard suggests that median ratios for residential and nonresidential properties fall within 5 percent of the median ratio for all properties. This test is satisfied by 35 counties for which data on residential and nonresidential property is available. One county, Yakima, has a median ratio for nonresidential property more than 5% below the county median ratio.

The coefficient of dispersion (COD) is the most commonly used measure of appraisal uniformity. It measures, on average, how far each property's ratio is away from the median ratio. It is expressed as a percent of the median. A smaller COD indicates more uniform assessment.

The IAAO Standard suggests that residential properties have a coefficient of dispersion less than 15 percent. Twenty-one counties meet this standard. Fifteen counties have coefficients of dispersion for residential properties greater than 15 percent. The IAAO suggested coefficient of dispersion for nonresidential property is 20 percent or less. Twenty-two counties are within this standard while fourteen counties fail to reach this standard.

Another aspect of assessment uniformity is the treatment of properties of different values. The price-related differential is a statistic used to measure whether high-value properties and low-value properties are assessed at the same ratio to market value. The IAAO Standard on Ratio Studies suggests that the price-related differential should fall between 0.98 and 1.03. Twenty-two counties have price-related differentials within this range. Sixteen counties do not meet this standard.

Table 1 summarizes these results.

Table 1

Measuring Real Property Appraisal Performance								
2000								
County	Level of Assessment			Uniformity of Assessment				
	Overall County Assessment Ratio between 0.90 to 1.10	Residential Property Assessment Ratio between 0.90 to 1.10	Nonresidential Property Assessment Ratio between 0.90 to 1.10	Residential Property within 5% of county median	Nonresidential Property within 5% of county median	Coefficient of Dispersion for Residential Property below 15%	Coefficient of Dispersion for Nonresidential Property below 20%	Price Related Differential between 0.98 and 1.03
Adams	X	X	X	X	X			
Asotin	X	X	X	X	X	X		X
Benton	*	*	*	*	*	*	*	*
Chelan			X	X	X		X	
Clallam	X	X	X	X	X	X	X	X
Clark	X	X	X	X	X	X	X	X
Columbia	X	X	X	X	X			
Cowlitz	X	X	X	X	X	X	X	
Douglas	X	X	X	X	X	X		X
Ferry	X	X	X	X	X			
Franklin	X	X	X	X	X			X
Garfield	X	*	*	*	*	*	*	
Grant				X	X			X
Grays Harbor	X	X	X	X	X			X
Island	X	X	X	X	X	X	X	
Jefferson	X	X	X	X	X	X	X	X
King	X	X	X	X	X	X	X	X
Kitsap	X	X	X	X	X	X	X	X
Kittitas	X	X		X	X		X	X
Klickitat	X	X	X	X	X	X	X	
Lewis	X	X	X	X	X	X		X
Lincoln	X	X	X	X	X	X	X	
Mason	X	X	X	X	X			
Okanogan	X	X		X	X			
Pacific	X	X	X	X	*		X	X
Pend Oreille				X	X			
Pierce	X	X	X	X	X	X	X	X
San Juan	X	X	X	X	X		X	
Skagit	X	X	X	X	X	X	X	X
Skamania	X	X	X	X	X	X	X	
Snohomish				X	X	X	X	X
Spokane	X	X	X	X	X	X	X	X
Stevens	X	*	*	*	*	*	*	
Thurston	X	X	X	X	X	X	X	X
Wahkiakum	X	X	X	X	X			
Walla Walla	X	X	X	X	X	X	X	X
Whatcom			X	X	X	X	X	X
Whitman	X	X	X	X	X	X	X	X
Yakima	X	X		X				X
	33	31	30	36	35	21	22	22
* Residential v. Nonresidential data not available for Garfield and Stevens counties.								
* Data was not available for Benton County.								
Counties are assumed to satisfy IAAO standards for level of assessment unless there is less than a 5% chance that they do not.								

Detailed Findings

Level of Assessment

According to the IAAO Standard on Ratio Studies, the median is the appropriate measure of central tendency for monitoring appraisal performance. The IAAO Standard states that the median ratio for all assessments in a jurisdiction (the overall level of assessment) should be between 0.90 and 1.10.

The median ratio for the state is 0.92. This means that half the properties have ratio of assessed value to market value greater than 0.92 and half the properties have a ratio of assessed value to market value less than 0.92. This is within the IAAO standard of 0.90 to 1.10.

Assessment Level By County

The median ratio by county is shown in Chart 1. The median ratios range from 0.77 in Pend Oreille County to 0.99 in Island County. Six counties have median ratios below 0.90. The remainder (32) have ratios between 0.90 and 0.99.


Since this study is based on a sample and not the universe of properties, it is not possible to say with certainty that all of these six counties are below the IAAO standard of 0.90. It is possible that if a ratio was determined for every property in the county that the true median ratio would be at least 0.90. To determine the chance that this is the case, a standard statistical test (the binomial test) was performed. This test indicates that it is most probable the following five counties have median ratios less than 0.90: Chelan, Grant, Pend Oreille, Snohomish, and Whatcom. The likelihood that the true median is greater than 0.90 for these counties is less than 5 percent (Prob <5%). Okanogan County has a median ratio below 0.90 but the statistical test indicates there is some possibility (Prob > 5%) that the true median ratio may be at least 0.90 and therefore within the IAAO standards. Therefore, it appears that 33 counties satisfy the IAAO standard for assessment level.

CHART 1

Median Ratio

Ratio of Assessed Value to Sales Value

The median ratio should be between 0.90 and 1.10



Level of Assessment

Assessment Level By Residential and Nonresidential

The IAAO Standard states that assessment ratios for each major class of property should be between 0.90 and 1.10. For all counties except Garfield and Stevens data is available by land use classifications. Based on this information the data was divided between residential and nonresidential property. The median ratio was calculated for each class. On a statewide basis, the median ratio for residential property was 0.92 while the median ratio for nonresidential property was 0.91. The median ratios for residential and nonresidential property by county are listed on Chart 2 and Chart 3. The ratio for residential property ranges from a low of 0.73 in Pend Oreille County to a high of 0.98 in Island County. The median ratio for nonresidential property ranges from a low of 0.75 in Grant County to a high of 1.01 in Whitman and Island Counties.

Six counties have sample residential median ratios below the IAAO suggested standard of 0.90. The binomial test supports the conclusion that the following five counties have true median ratios for residential property less than 0.90: Chelan, Grant, Pend Oreille, Snohomish, and Whatcom. The binomial test for Wahkiakum County indicates some likelihood (Prob > 5%) that the true median may be as great as 0.90.

Ten counties have sample nonresidential median ratios below the IAAO standard of 0.90. After performing the binomial test, it is most probable that the following six counties have true median ratios for nonresidential property less than 0.90: Grant, Kittitas, Okanogan, Pend Oreille, Snohomish, and Yakima.

In summary, 31 counties satisfy the IAAO standard for the assessment level of residential property, 5 do not. Thirty counties appear to satisfy the IAAO standard for the assessment level of nonresidential property, six do not.

CHART 2
Median Ratio for Residential Property
 Ratio of Assessed Value to Sales Value

The median ratio should be between 0.90 and 1.10





CHART 3

Median Ratio for Nonresidential Property

Ratio of Assessed Value to Sales Value

The median ratio should be between 0.90 and 1.10



Uniformity of Assessments

This report looks at the uniformity of assessments in three ways. First, the median ratio for residential property and the median ratio for nonresidential property are compared to the overall median ratio for the county. The IAAO Standard recommends that the ratio for each class of property be within 5 percent of the overall level of assessment for the county.

The second test of uniformity measures the spread of the ratios of assessed value to market value. This report uses three methods to describe this spread: the coefficient of concentration, the median percentage deviation, and the coefficient of dispersion. The definitions of these statistics will be explained in the sections below. The IAAO Standard on Ratio Studies does not contain suggested performance standards for the median percentage deviation or the coefficient of concentration. They are included in this report because they provide useful illustrations of uniformity. The IAAO performance standard for the coefficient of dispersion (the average deviation from the median expressed as a percent of the median) is less than 15 percent for residential properties and 20 percent or less for income properties.

The third test of uniformity measures vertical equity in assessments. Vertical equity refers to the consistency at which lower valued properties are assessed compared to higher valued properties. For a graphical view of vertical equity, the data is sorted from the lowest market value property to the highest market value property. It is then divided into four equal groups. The median ratio is calculated for each group and graphed. The IAAO standard suggests a statistic called the price-related differential (explained on page 27) be used to measure vertical equity. The price-related differential is calculated and compared to the IAAO standard.

Uniformity by Major Class of Property

Chart 4 shows the percentage difference between the countywide median ratio and the median ratios for residential and nonresidential properties for each county. Of the 36 counties with data available for residential and nonresidential property, Pend Oreille appears to have a median residential property ratio of more than 5% below the county median ratio. However, this percent difference is close enough to 5 percent to conclude, after performing the binomial test, that the county falls within the IAAO standard. No county has a median residential property ratio that is more than 5 percent above the county median ratio.

Six counties have sample nonresidential median property ratios that not within 5 percent of the county median ratio. After performing the binomial test, only Yakima County is likely to have a median ratio for nonresidential property more than 5 percent below the countywide median. On this basis, thirty-five counties satisfy the IAAO standard for having median ratios for nonresidential property within 5 percent of the countywide median ratio and one does not.

CHART 4

Percent Difference between Residential and Nonresidential
Median Ratios and the County Median Ratio

The difference should be within 5 percent of countywide median ratio





CHART 4 (Continued)

Difference between Residential and Nonresidential
Median Ratios and County Median Ratio

The difference should be within 5 percent of countywide median ratio



Uniformity of Assessments

Coefficient of Concentration

Each property in the assessment jurisdiction is assessed at a different ratio to market value. As explained above, half the properties have a ratio greater than the median ratio and half the properties have a ratio below the median ratio. If the ratios for properties that are above and below the median are fairly close to the median ratio then one can conclude that the assessments are uniform. If they are not close then assessments are not uniform.

The coefficient of concentration measures the percentage of properties with ratios that fall close to the median ratio. As one way of illustrating the spread of assessments, the percentage of properties that fall between 15 percent below the median ratio and 15 percent above the median ratio is calculated. A large coefficient of concentration means that most properties are assessed close to the median.

Chart 5 shows the results of this calculation. The coefficient of concentration for the state is 67 percent. This means that 67 percent of the properties have ratios of assessed to market value within plus or minus 15 percent of the statewide median ratio.


The coefficient of concentration is also calculated for each county. Each county's coefficient is calculated in relation to the county's median ratio. These coefficients range from a low of 33 percent in Pend Oreille County to a high of 81 percent in Lincoln County.

CHART 5

Coefficient of Concentration

Percent of Properties with Ratios within 15 percent of Median Ratio

Large COC values indicate more properties are within 15% of median



Uniformity of Assessments

Median Percentage Deviation

The median percentage deviation is another measurement of how close properties are assessed to one another. It is calculated by first taking the difference between the ratio for each property and the median ratio (ignoring the positive and negative signs); this difference is called the "deviation". The median deviation is the amount for which half the properties have a smaller deviation and half have a larger deviation. Dividing this "typical" deviation by the median ratio expresses the result as a percent. The smaller the median percentage deviation the closer properties are assessed to one another.

The median percentage deviation for the state is 10 percent. One way of interpreting this number is that the "typical" property is assessed at a ratio to market value that is different from the state median property by 10 percent.


Chart 6 shows the median percentage deviation for real properties within each county. The median percentage deviation ranges from a low of 7 percent in Clark County to a high of 24 percent in Wahkiakum County.

On a statewide basis the median percentage deviation for residential property is 9 percent and for nonresidential property is 12 percent. Chart 7 shows the results for residential and nonresidential property by county. Generally the median percentage deviation is greater for nonresidential property. For residential property the median percentage deviation ranges from a low of 6 percent in Clark and Pierce counties to a high of 23 percent in Pend Oreille County. The lowest median percentage deviation for nonresidential property is 6 percent in Lincoln County and the highest is 27 percent in Wahkiakum County.

CHART 6

Median Percentage Deviation

The smaller the MPD the closer properties are assessed to each other



Uniformity of Assessments

Coefficient of Dispersion

The IAAO Standard on Ratio Studies publishes uniformity standards using the coefficient of dispersion (COD). The COD is calculated by taking the difference between the ratio for each property and the median ratio (ignoring the positive and negative signs), adding these differences, and dividing by the number of properties. This determines the average deviation from the median. This amount is divided by the median to express the result as a percent of the median; this result is the COD. For example, a COD of 15 percent means that properties have ratios that are, on average, 15 percent different from the median ratio.

Chart 8 shows coefficients of dispersion for residential and nonresidential properties by county. The IAAO Standard on Ratio Studies suggests that residential properties have a coefficient of dispersion less than 15 percent. Twenty-one counties have COD's less than 15 percent. Fifteen counties have coefficients of dispersion for residential properties greater than 15 percent.

The IAAO suggested coefficient of dispersion for nonresidential property is 20 percent or less. Twenty-two counties have COD's below 20 percent and fourteen counties fail to reach this standard. Ten counties fail to reach the standards for both residential and nonresidential and 16 counties fail at least one standard.

Since this study is based on a sample, it is possible that some of the counties with COD's close to the IAAO standards may, with some probability, satisfy the IAAO standard. However, the coefficient of dispersion does not lend itself to straightforward statistical tests. So, it is not easy to evaluate whether the COD's in Chart 8 are really higher than the IAAO standards or these results are just a function of the sample that was drawn.

CHART 8

Coefficient of Dispersion

The COD for residential property should be below 15%
The COD for nonresidential property should be below 20%





CHART 8 (Continued)

Coefficient of Dispersion

*The COD for residential property should be below 15%
The COD for nonresidential property should be below 20%*



Uniformity of Assessments

Vertical Equity in Valuation

The next two sections look at the question of whether lower value properties and higher value properties are assessed at the same ratio to market value.

Median Ratio by Value Quartile

This section develops a method to view vertical equity. The data is sorted from the lowest market value property to the highest market value property. The data is then divided into four groups of equal numbers of properties (quartiles). The median ratio is calculated for each quartile. The results are displayed in Chart 9.

The following counties appear to have a slightly lower ratios of assessed value to market value for the higher value properties than for lower value properties: Chelan, Clallam, Columbia, Lincoln, Mason, Okanogan, Pacific, Pend Oreille, San Juan, Skagit, Skamania, Wahkiakum, and Whatcom counties.

CHART 9
 Median Ratios of
 Properties divided into Sales Value Quartiles




CHART 9 (continued)

Median Ratios of Properties divided into Sales Value Quartiles




CHART 9 (Continued)

Median Ratios of
Properties divided into Sales Value Quartiles





CHART 9 (Continued)

Median Ratios of
Properties divided into Sales Value Quartiles



Uniformity of Assessments

Price-Related Differential

The price-related differential (PRD) is a statistic used for measuring the relationship between assessment levels for low value property and high value property. The PRD is calculated by dividing the average ratio by the weighted average ratio.

$$\text{Price-related differential} = \text{average ratio} / \text{weighted average ratio}$$

The average ratio is the sum of the individual ratios divided by the number of properties. This is called an unweighted average. In the calculation of the weighted average ratio, each ratio is counted in proportion to the value of the property. So the ratio of a property with twice the value of another will count twice as much in the weighted average. This means that properties with higher values contribute more to the calculation of the weighted average ratio than do properties of lower value.

If higher valued properties are assessed at lower ratios to market value, the weighted average will be less than the unweighted average. In this case, the PRD will be greater than one. This result is called assessment regressivity. The PRD will be close to one if higher and lower valued properties are assessed at the same ratio to market value. If higher valued properties are assessed at a higher ratio to market value then the weighted average will be greater than the unweighted average and the PRD will be less than one. This is called assessment progressivity.

The IAAO Standard on Ratio Studies suggests that the PRD should fall within the range of 0.98 to 1.03. Chart 10 shows the PDR calculations by county.

Klickitat County has a PRD below 0.98. This indicates that higher valued properties are assessed at a higher ratio to market value than lower valued properties. The following 17 counties have PRD's greater than 1.03: Island, Cowlitz, Ferry, Clark, Okanogan, Skamania, Stevens, Franklin, Mason, Chelan, Lincoln, Pend Oreille, San Juan, Wahkiakum, Adams, Columbia, and Garfield. For these counties the PRD indicates that higher value properties are assessed at lower ratios to market value than are lower value properties.


The PRD uses information from all the observations in the data set. The PRD can be influenced by observations with extreme ratios especially if the sample size is small. So it is appropriate to conduct statistical tests to support the PRD calculations before concluding that a county does not meet the IAAO standard. Spearman correlations were calculated for the relationship between ratios and value. These correlations do not support the conclusion that Clark and Franklin counties assesses higher value property at a lower ratio. They do support the conclusion that Island, Cowlitz, Ferry, Okanogan, Skamania, Stevens, Mason, Chelan, Lincoln, Pend Oreille, San Juan, Wahkiakum, Adams, Columbia, and Garfield counties are assessing higher value properties at a lower ratio.

Therefore, it appears that 22 counties satisfy the IAAO standard and that one county has a PRD below 0.98 and 15 counties have PRD's above 1.03.

CHART 10

Price – Related Differential

The PDR should be between 0.98 and 1.03



Some Background on Washington's Assessment System

County assessors are responsible for determining the market value of properties within their respective counties. However, multi-county utility properties are valued by the Department of Revenue.

State law requires regular revaluation of property assessed values. Seventeen counties update property values annually based on appropriate statistical data. State law allows properties to be physically inspected once every 6 years in counties that annually update assessed values. Other counties (22 counties) revalue on 2, 3, or 4 year cycles. These counties revalue each property once during the cycle and the value is not changed until the next cycle: 2, 3 or 4 years later. See Appendix A for a listing by county of revaluation cycles.

Data

The data on assessed values and market values used in this report to evaluate the performance of the state's property tax appraisal system comes from the Washington Department of Revenue. The data is for the 2000 assessment year (January 1, 2000 valuation date.) Annually the Washington Department of Revenue conducts a study to estimate the relative market value of each county. These estimates are used to equitably apportion the state property tax among the counties. The Department of Revenue uses a ratio study technique to estimate the market value of each county.

The statistics used in the Department of Revenue ratio study are different than those of this report since the purpose of the Department of Revenue study is not the same. The purpose of the Department of Revenue study is to estimate the market value of each county whereas the purpose of this study is to evaluate assessment performance. The most useful statistic for estimating overall county market value is the average ratio weighted by the value of the properties. In contrast, the standard statistic used for evaluation of assessment performance is the median ratio.

The data available for this study includes 55,526 real property parcels for which sales prices and assessed values are available. The sales data was screened to obtain valid transactions.² For most counties, the data is coded by land use classification. In addition to sales price information, the data set includes over 85 independent real property appraisals performed by the Department of Revenue. These appraisals were done in land use classifications in counties with insufficient sales.

This study is based on a sample of total number of real properties subject to property tax in Washington. Since it is a sample, rather than the entire universe of properties, the study is subject to the usual problems associated with samples. The statistics developed from the sample are subject to some error. However, with a sample as large as 55,000 observations these errors should be quite small. For statistics calculated for counties or use classes within a county, the error is larger than for the state wide statistics.

²Washington Administrative Code section 458-53-080 lists the reasons a sale would be excluded from the data.

Another source of error or bias comes about from the way in which the sample is drawn. The primary source of data comes from properties that sell. Ideally, when a statistician develops a sample, each property will have an equally likely chance of being included in the sample. This is not the case here. Except for the 85 appraisals, properties included in the sample are only those that sold during the study period. This can bias the results of the study. For example, if the assessing jurisdiction is more likely to revalue properties that sell then the study results will show a higher and more uniform level of assessment than is true for all properties (including those that have not sold.)

What this report does not include

This report does not include data on personal property. It also does not include data on certain classes of real property: tax exempt properties, timber and timber land, homes eligible for the senior property tax relief program, multi-county utility properties assessed by the Department of Revenue, and current use farm land in counties with over 15 percent of their value in open space farm classification (Adams, Columbia, Douglas, Franklin, Garfield, Grant, Lincoln, Walla Walla, and Whitman counties). Benton county ratio study data was not available in time to include in this report.

Appendix A
COUNTY REVALUATION CYCLES
2000 Assessment Year

CYCLICAL COUNTIES		ANNUAL COUNTIES
4 YEAR	3 YEAR	
ASOTIN	SAN JUAN	ADAMS
CHELAN		BENTON
COLUMBIA		CLALLAM
FERRY		CLARK
	2 YEAR	COWLITZ
FRANKLIN	DOUGLAS	GARFIELD
GRANT		ISLAND
GRAYS HARBOR		KING
JEFFERSON		KITSAP
KITTITAS		LINCOLN
KLICKITAT		PIERCE
LEWIS		SKAGIT
MASON		SKAMANIA
OKANOGAN		SPOKANE
PACIFIC		THURSTON
PEND OREILLE		WHITMAN
SNOHOMISH		YAKIMA
STEVENS		
WAHKIAKUM		
WALLA WALLA		
WHATCOM		

SUMMARY

Revaluation Cycle	Number of Counties	Inspection Cycle 2 yrs	Inspection Cycle 3 yrs	Inspection Cycle 4 yrs	Inspection Cycle 5 yrs	Inspection Cycle 6 yrs
Annual	17			2	0	15
2 Year	1	1				
3 Year	1		1			
4 Year	20			20		

Appendix B

Frequency Distribution of Ratios by County


Washington contains approximately 2.7 million real property parcels. Due to the high volume of assessments, county assessors must use mass appraisal techniques to determine assessed values. Each property has unique characteristics and it is not possible for assessing officials to fully capture the influence of all these characteristics on the market value. As a result, the ratio of assessed value to market value will vary from property to property. Generally, most properties will have similar ratios of assessed to market value. However, some properties will have ratios to market value that differ somewhat from the typical ratio. If most ratios are close to together with a few ratios falling some distance from the center then a picture of the distribution of ratios will look somewhat like the familiar bell curve.

Appendix B contains a frequency distribution of ratios for the state and each county. These frequency distribution charts show the relative number of properties that have ratios within specified intervals. The first chart in Appendix B shows the frequency distribution of ratios on a statewide basis. To read the chart see, for example, the bar centered on 0.90. The bar represents properties with ratios between 0.875 and 0.925. The length of the bar indicates that 14.49 percent of the properties have ratios between 0.875 and 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for the State




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Adams County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Asotin County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Chelan County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Clallam County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Clark County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Columbia County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Cowlitz County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Douglas County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Ferry County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Franklin County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Garfield County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Grant County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Grays Harbor County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Island County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Jefferson County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for King County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Kitsap County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Kittitas County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Klickitat County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Lewis County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Lincoln County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Mason County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Okanogan County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Pacific County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Pend Oreille County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Pierce County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for San Juan County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Skagit County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Skamania County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Snohomish County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Spokane County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Stevens County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Thurston County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Wahkiakum County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Walla Walla County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Whatcom County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Whitman County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

Frequency Distribution of Ratios

Ratio of Assessed Value to Sales Value

Distribution for Yakima County



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval — each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.